

19-D655 Specification Sheet

COATED GLOVES MADE WITH DYNEEMA®

PRODUCT DESCRIPTION:

G-Tek® CR Ultra, 13 gauge, black/gray Dyneema® spun shell, black polyurethane coated palm and knuckles.

- · Washable, resistant to chemicals, water and ultraviolet light.
- · Seamless construction.
- · Color coded hems for easy size identification.
- · Silicone-free.
- Dyneema® is a brand of polyethylene fibers that are 10 to 15 times stronger than steel, more durable than polyester and a strength that is 40% greater than aramid fiber.

Applications:

Used for electronics, glass cutting, metal handling, food processing and meat processing.

TECHNICAL DATA:

Material: Dyneem®/Nylon/Lycra®

Color: Black/gray with black palm and knuckle coating

Cuff Style: Continuous knit **Available Sizes:** S - XL

Packaging: # 1 pair per bag, 12 pairs per dozen, 12 dozen per case Case Dimensions (cm): $56.0 \times 32.0 \times 36.0 / (in)$: $22.0 \times 12.6 \times 14.2$

Case Weight: (S) 19.8 lbs / 9.0 kg (M) 20.4 lbs / 9.3 kg

> (L) 22.2 lbs / 10.1 kg(XL) 24.0 lbs / 10.9 kg

Manufacturer Certifications: ISO9001:2000 certified

Country of Origin/Harmonization Code: China/6116.10.6500

Laundering Instructions:

Recommend washing gloves in slightly warm water not exceeding 40° C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60 $^{\circ}$ C)

PERFORMANCE PROPERTIES:

ASTM F1790-04: 537 grams +/- 10% EN388: 4341

Puncture

Abrasion 0 1 2 3 4 5 Cut 0 1 2 3 4 5 Tear 0 1 2 3 4




BARCODE # DOZEN CASE

19-D655/XL	01616314046468	02616314046467
19-D655/L	01616314046444	02616314046443
19-D655/M	01616314046437	02616314046436
19-D655/S	01616314046451	02616314046450



DIMENSIONS:

Size Available	<u>s</u>	M	<u>L</u>	<u>XL</u>
Over Length (cm) - A	23.0	24.0	25.0	26.0
(in)	9.1	9.4	9.8	10.2
Palm Width (cm) - B	9.5	9.5	10.0	10.5
(in)	3.7	3.7	3.9	4.1
Hem Color	Red	Yellow	Brown	Black



This document is the property of PIP and the information contained herein is proprietary to PIP.