



**PROTECTIVE INDUSTRIAL PRODUCTS**

# 22-7600R Specification Sheet

## GLOVES MADE FROM STAINLESS STEEL ENGINEERED YARNS

### PRODUCT DESCRIPTION:

Kut-Gard® steel core gloves, 10 gauge, stainless steel wire core and Dyneema® with polyester cover, antimicrobial, medium duty, orange color.

- Yarns constructed of flexible steel core strands offer exceptional cut and slash resistance.
- Seamless construction provides the comfort, fit and dexterity of a knit glove.
- Features patented NSF/ANSI Standard 51 Conformant and FDA & EPA Antimicrobial Fibers. Inhibits the growth of microorganisms such as bacteria and mold that come in contact with the fiber up to 99.9%.
- Made from component materials that comply with Federal Regulations for food contact 21CFR, 170-199.
- Extended cuff offers extra cut protection around the wrist area.

### Applications:

Ideal for any application where sharp cutting instruments are used, such as food service, food processing, and glass and metal handling.

### TECHNICAL DATA:

**Material:** Dyneema®, stainless steel and other synthetic fibers

**Construction:** 10 gauge seamless knit reversible

**Color:** Orange

**Cuff Style:** Knitted elasticized wrist

**Available Sizes:** S - L

**Packaging:** 24 each per case

**Case Dimensions (cm):** 30.5 X 15.3 X 15.3 / (in): 12.0 x 6.0 x 6.0

**Case Weight:** (XS-XL) 2.3 lbs / 1.0 kg

**Shelf Life:** 5 years in cool, covered conditions

**Country of Origin/Harmonization Code:** USA/6116.93.8800US

### Laundering Instructions:

Machine wash in warm water with Detergent. Rinse well and spin extract using low speed. Tumble dry on Low to Medium heat setting. Temperature settings not to exceed 65° C. Can be Dry-Cleaned.


### CUT RESISTANCE PROPERTIES:

- Method ASTM F1790-04
- 4000 ± 400 grams
- ANSI/ISEA 105-2000 Level 5 Cut Resistance



### DIMENSIONS:

Size Available	S	M	L
Over Length (cm) – A (in)	21.6 8.5	24.1 9.5	26.7 10.5
Palm Width (cm) – B (in)	10.2 4.0	11.4 4.5	11.4 4.5
Hem Color	Yellow	Blue	White



BARCODE #	DOZEN	CASE
22-7600R/S	01616314068538	02616314068537
22-7600R/M	01616314068545	02616314068544
22-7600R/L	01616314068552	02616314068551

This document is the property of PIP and the information contained herein is proprietary to PIP.