The Clorox Company 1221 Broadway			Material Safety			
PLUMIN	Oakland, CA Tel. (510) 27	94612		Data Sheet		
I Product:	LIQUID-PLUMR®					
Description:	CLEAR ALKALINE LIQUID WITH A C					
Other Designations	nations Dist		ibutor	Emergency Telephone Nos.		
Drain Opener 1221 B		es Company roadway CA 94612	ay For Transportation Emergencies Chemtrac			
II Health Hazard Data			III Hazardous Ingredients			
CORROSIVE to the eyes. Injures eyes, skin and mucous membranes on contact. Harmful if swallowed; nausea, vomiting, and burning sensation of the mouth and throat may occur. No adverse health effects are expected with recommended use. Occasional clinical reports suggest a low potential for sensitization upon exaggerated exposure to sodium hypochlorite if skin damage (eg. irritation) occurs during exposure. However, clinical tests conducted on intact skin with Liquid-Plumr found no sensitization in the test		Ingredient Sodium hydroxide CAS #1310-73-2 Sodium hypochlorite CAS #7681-52-9	<u>Concentration</u> 0.5-2% 5-10%	<u>Worker Exposure Limit</u> 2 mg/m³ TLV-C not established		
Although not expected, heart conditions or chronic respiratory problems such as asthma, chronic bronchitis or obstructive lung disease may be aggravated by exposure to high concentrations of vapor or mist.			None of the ingredients in this product are on the IARC, OSHA or NTP carcinogen lists. TLV-C=Threshold Limit Value-Ceiling. The worker exposure limit should not be exceeded at any time. Source: ACGIH., 1985-86.			
FIRST AID:						
EYE CONTACT: Immediately flush eyes with water for 15 minutes. Contact a physician.						
<u>INGESTION:</u> Drink a glassful of water. <u>DO NOT</u> induce vomiting. Immediately contact a physician or Poison Control Center.						
<u>SKIN CONTACT:</u> Remove contaminated clothing. Flush skin with water. Contact a physician if irritation or discomfort persists.						
INHALATION: Remove from exposure to fresh air.						
IV Special Protection and Precautions			V Transportation and Regulatory Data			
<u>Hygienic Practices:</u> Wear safety glasses and gloves. The availability of an eye wash and shower is recommended in a manufacturing environment. <u>Engineering Controls:</u> Use general ventilatilation to minimize exposure to vapors. <u>Work Practices:</u> Avoid eye and skin contact and inhalation of vapor or mist.		U.S. DOT Hazard Class: Not Restricted U.S. Proper Shipping Name: Sodium Hypochlorite Solution EPA - SARA TITLE III/CERCLA: This product is not reportable under Sections 311/312 and contains no chemicals reportable under Section 313. This product does contain chemicals (sodium hydroxide and sodium hypochlorite) that are regulated under Section 304/CERCLA.				
KEEP OUT OF REACH OF CHILDREN. Avoid all splashing; particularly in eyes, on skin and clothing. Keep children away from basins containing						
Liquid-Plumr. Do not use plunger with Liquid-Plumr. Do not use Liquid-Plumr with ammonia, toilet bowl cleaners or other drain openers. Do not reuse empty container. Rinse container and replace cap before discarding.		TSCA/DSL STATUS: All components of this product are on the U.S. TSCA Inventory and Canadian DSL.				
VI Spill Procedures/Waste Disposal			VII Reactivity Data			
<u>Spill Procedures</u> : Immediately contain. Treat as a strong base. Neutralize with dilute acid and copieus amounts of water. Dispose of in accordance with all applicable federal, state, and local regulations.		Stable under normal use and storage conditions. Reacts with other household chemicals such as toilet bowl cleaners, ammonia or other drain openers to produce hazardous gases, such as chlorine and other chlorinated species.				
VIII Fire and Explosion Data			IX Physical Data			
Flash Point: None Special Firefighting Procedures: None Unusual Fire/Explosion Hazards: None. Not flammable or explosive, Product does not ignite when exposed to open flame		Boiling pointapprox. 212* F/100*C Specific Gravity (H ₂ B=1)1.09 Solubility in water				

DATA, SUPPLIED, IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH DAT

DATE PREPARED <u>9/99</u>