

MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Product Name Sani-Hands for Kids MSDS0029

CAS # Mixture
Product use Antimicrobial

Manufacturer Professional Disposables International, Inc.

Two Nice-Pak Park

Orangeburg, NY 10962-1376

or Distributed by:

Professional Disposables International Ltd. Ontario CA Phone (USA) 1-845-365-1700 (M-F 8am - 5pm)

Phone (CANADA) 1-800-263-7067

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





2. Hazards Identification

Emergency overview For external use only. Avoid contact with eyes.

WARNING

FLAMMABLE SOLID. Keep away from fire or flame.

Irritating to eyes.

Contains a potential mutagen.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin Non-irritating based on test data. Not a skin sensitizer based on test data.

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central

nervous system effects (headache, dizziness).

IngestionNot a normal route of exposure. May cause stomach distress, nausea or vomiting.

Target organs Blood. Eyes. Liver. Respiratory system.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Alcohol	64-17-5	60 - 80

Composition comments Active ingredients are listed above.

4. First Aid Measures

First aid procedures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

poison control center or doctor for treatment advice.

Skin contact Discontinue use if irritation and redness develop. If condition persists for more than 72

hours, consult a physician.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

If swallowed, get medical help or contact a Poison Control Center immediately. Ingestion

Notes to physician

Symptoms may be delayed.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that

medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach

of children.

5. Fire Fighting Measures

Flammable properties

Flammable solid.

Extinguishing media

Dry chemical. Alcohol foam. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

Suitable extinguishing media

Not available

the chemical

Protective equipment for

Firefighters should wear full protective clothing including self contained breathing

firefighters

apparatus.

Hazardous combustion products

Sensitivity to static discharge

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical

Not available

impact

Not available

6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do Personal precautions

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Other information

Remove sources of ignition. Pick up and discard towel.

Pick up and discard towel.

7. Handling and Storage

Use according to package label instructions. Use good industrial hygiene practices in Handling

handling this material.

Keep out of reach of children. Store at room temperature in the original container. Storage

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s) **Exposure Limits**

Alcohol **ACGIH-TLV**

TWA: 1000 ppm **OSHA-PEL**

TWA: 1000 ppm

Engineering controls General ventilation normally adequate.

Personal protective equipment

Not normally required. Avoid contact with eyes. Eye / face protection

Hand protection Not required.

Skin and body protection As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do

not eat or drink.

9. Physical & Chemical Properties

AppearanceLiquid saturated on wipeColorClear, colorless on a wipeFormPre-moistened towelette.

Odor Alcohol
Odor threshold Not available

Physical state Pre-moistened towelette

pH Not availableFreezing point Not availableBoiling point Not available

Flash point 23.33 °C (74 °F) (Liquid)

Evaporation rate Not available **Flammability limits in air, lower, %** Not available

by volume

Flammability limits in air, upper, %

by volume

Not available

Vapor pressureNot availableVapor densityNot availableSpecific gravity0.893 (Liquid)Octanol/water coefficientNot available

Solubility (H2O) Pad is not soluble in water

Auto-ignition temperature Not available

VOC (Weight %) The liquid is a volatile.

Viscosity Not available Percent volatile Not available

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid high temperatures. Do not mix with other chemicals.

Incompatible materials Acids. Oxidizers. Caustics.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s) LC50

Alcohol 31623 ppm rat

Component analysis - Oral LD50

Ingredient(s) LD50

Alcohol 3450 mg/kg mouse; 1501 mg/kg rat

Effects of acute exposure

Eye May cause irritation.

Skin Non-irritating based on test data. Not a skin sensitizer based on test data.

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central

Excessive intertubilia infrialation may cause respiratory tract initiation and central

nervous system effects (headache, dizziness).

Ingestion Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

SensitizationNon-hazardous by OSHA criteria.Chronic effectsNon-hazardous by OSHA criteria.CarcinogenicityNon-hazardous by OSHA criteria.

ACGIH - Threshold Limits Values - Carcinogens

Alcohol 64-17-5 A4 - Not Classifiable as a Human Carcinogen

#17872 Page 3 of 5 Issue date 20-Dec-2007

Mutagenic effects were observed in somatic and reproductive cells of live animals (rats Mutagenicity

and mice) exposed to high oral doses of ethanol.

Reproductive effects

Non-hazardous by OSHA criteria. Non-hazardous by OSHA criteria.

Teratogenicity

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

Ecotoxicity - Freshwater Fish Species Data

Alcohol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50

Pimephales promelas: 14.2 mg/L

Ecotoxicity - Microtox Data

Alcohol 64-17-5 5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium

phosphoreum: 34634 mg/L

Ecotoxicity - Water Flea Data

64-17-5 Alcohol 48 Hr EC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L

Environmental effects Not available Aquatic toxicity Not available

This product is not readily biodegradable. Persistence / degradability

Bioaccumulation / accumulation Not available Partition coefficient Not available Not available Mobility in environmental media Chemical fate information Not available

13. Disposal Considerations

Waste codes Not available

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

Department of Transportation (DOT)

Basic shipping requirements:

Solids containing flammable liquid, n.o.s. (ETHANOL) Proper shipping name

4.1 Hazard class UN3175 **UN number** Packing group

Additional information:

47, IB6, IP2, T3, TP33 Special provisions

Packaging exceptions <1Kg-Consumer Commodity ORM-D

ERG number 133



15. Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard **US Federal regulations**

Communication Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

CERCLA (Superfund) reportable quantity

None

#17872 Page 4 of 5 Issue date 20-Dec-2007 Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely N

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA)

Clean Water Act (CWA)

Safe Drinking Water Act (SDWA)

Drug Enforcement Agency (DEA)

Food and Drug Administration

Not available

Not available

(FDA)

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*United States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Alcohol 64-17-5 Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)

U.S. - California - Proposition 65 - Developmental Toxicity

Alcohol 64-17-5 developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)

U.S. - Massachusetts - Right To Know List

Alcohol 64-17-5 Teratogen

U.S. - Minnesota - Hazardous Substance List

Alcohol 64-17-5 Present U.S. - New Jersey - Right to Know Hazardous Substance List Alcohol 64-17-5 sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Alcohol 64-17-5 Present

U.S. - Rhode Island - Hazardous Substance List

Alcohol 64-17-5 Toxic; Flammable

16. Other Information

Disclaimer Information contained herein was obtained from sources considered technically accurate

and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

use of or reliance on any information contained in this document.

Recommended use For external use only. Keep away from children, unless under adult supervision.

Issue date20-Dec-2007Effective date30-Nov-2007

Prepared by Dell Tech Laboratories Ltd. (519) 858-5021

#17872 Page 5 of 5 Issue date 20-Dec-2007