

# Material Safety Data Sheet

Final Touch® Fabric Softener Dryer Sheets

Page 1 of 5  
Rev. Date  
05/07/07

## SECTION #1 – PRODUCT AND COMPANY IDENTIFICATION

Product: Final Touch® Fabric Softener Dryer Sheets

Phoenix Brands  
2855 N. Franklin Rd., #7  
Indianapolis, Indiana 46219 USA

Consumer Service Telephone Number: 1-866-794-0800  
Emergency Contact: PROSAR IPC  
Emergency Phone Number: 1-866-794-0800

Product Description: A non-woven fabric softener sheet for use in clothes dryers

## SECTION #2 – COMPOSITION, INFORMATION ON INGREDIENTS

Product Component:

CHEMICAL NAME	CAS #	<u>EXPOSURE LIMITS IN AIR*</u>			
		ACGIH		OSHA	
		TLV	STEL	PEL	STEL
		mg/m3	mg/m3	mg/m3	mg/m3
Stearic Acid	57-11-4	NA	NA	NA	NA
Alcohol Ethoxylate	68002-97-1	NA	NA	NA	NA
Potassium Stearate	593-29-3	NA	NA	NA	NA

NA = Not Applicable

See Section #16 for DEFINITION OF TERMS

## SECTION #3 – HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW: Keep Out of Reach of Children. Contains fabric softeners and perfume.**

### Route of Exposure - Inhalation

None expected.

### Route of Exposure - Skin

No irritation when used according to directions. Possible irritation from prolonged contact to industrial amounts.

### Route of Exposure - Eyes

Possible irritation from prolonged contact to industrial amounts.

### Route of Exposure - Ingestion

May cause gastrointestinal irritation with possible vomiting and blocking of gastrointestinal tract.

### CONSUMER PRODUCT PRECAUTIONARY STATEMENT:

KEEP OUT OF REACH OF CHILDREN. Contains softeners (cationics). Not for use on children's sleepware or other garments labeled as flame resistant as it may reduce flame resistance.

# Material Safety Data Sheet

Final Touch® Fabric Softener Dryer Sheets

Page 2 of 5

Rev. Date

05/07/07

## SECTION #4 – FIRST AID MEASURES

### First Aid - Inhalation

None required. Note: If symptoms persist, seek medical attention.

### First Aid - Skin

Rinse with water. If skin irritation occurs in use, seek medical assistance.

### First Aid - Eyes

Flush affected areas with water for at least 15 minutes. Seek medical assistance if required.

### First Aid - Ingestion

Do Not induce vomiting. Drink a glass of milk or water. Seek medical attention if ingestion of the sheet is suspected.

## SECTION #5 – FIRE FIGHTING MEASURES

Flash Point: Not applicable.

Autoignition Temperature: Not available

Flammable Limits (in air, by volume %): Not applicable

### Fire and Explosion Hazards

Product is not flammable. Use appropriate fire extinguishing agent for the packaging material.

### Extinguishing Media

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

### Special Fire Fighting Instructions

None.

## SECTION #6 – ACCIDENTAL RELEASE MEASURES

### Steps to be Taken in The Event of Spills, Leaks, or Release

Disposal is to be performed in compliance with applicable laws. Small or household quantities may be disposed of in refuse.

### Waste Disposal Methods

Dispose of unused containers of product in accordance with applicable Federal, State/Provincial, and local regulations.

# Material Safety Data Sheet

Final Touch® Fabric Softener Dryer Sheets

Page 3 of 5

Rev. Date

05/07/07

## SECTION #7 – HANDLING AND STORAGE

### Work Practices and Hygiene Practices:

Use personal protective equipment appropriate for the task.

### Storing and Handling Practices:

No special practices required with normal use.

### Protective Practices During Maintenance Or Contaminated Equipment:

Use personal protective equipment when contact is likely.

## SECTION #8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ventilation

Mechanical ventilation is not required under normal conditions of use.

### Eye Protection

None required.

### Skin Protection

None required.

### Respiratory Protection

None required.

## SECTION #9 – PHYSICAL AND CHEMICAL PROPERTIES

Vapor density: Not available.

Melting Point: Not available.

Specific gravity: Not available.

Boiling point: Not available.

Solubility in water: Not applicable

Evaporation rate (water=1): Not available.

Appearance: White, non-woven fabric sheets with fabric softener.

## SECTION #10 – STABILITY AND REACTIVITY

### Conditions to Avoid

None known.

This product is stable when maintained at room temperature.

### Incompatible Materials

There are no known incompatible substances.

# Material Safety Data Sheet

Final Touch® Fabric Softener Dryer Sheets

Page 4 of 5

Rev. Date

05/07/07

## Hazardous Decomposition Products

Hazardous polymerization will not occur.

## SECTION #11 – TOXICOLOGICAL INFORMATION

No data available.

## SECTION #12 – ECOLOGICAL INFORMATION

No data available.

The product is not expected to present an environmental hazard.

## SECTION #13 – DISPOSAL CONSIDERATIONS

Dispose of unused containers of product in accordance with applicable Federal, State/Provincial, and local regulations.

## SECTION #14 – TRANSPORTATION INFORMATION

THIS MATERIAL IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Not applicable.

HAZARD CLASS NUMBER and DESCRIPTION: Not applicable.

UN IDENTIFICATION NUMBER: Not applicable.

PACKING GROUP: Not applicable.

DOT LABEL(S) REQUIRED: Not applicable.

EMERGENCY RESPONSE GUIDE NUMBER: Not applicable.

MARINE POLLUTANT: Not applicable.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: THIS MATERIAL IS NOT CLASSIFIED “DANGEROUS GOODS”

## SECTION #15 – REGULATORY INFORMATION

None.

# Material Safety Data Sheet

Final Touch® Fabric Softener Dryer Sheets

Page 5 of 5

Rev. Date

05/07/07

## SECTION #16 – OTHER INFORMATION – DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these which are commonly used include the following: CAS #: This is the Chemical Abstract Service Number which uniquely identifies each constituent. It is used for computer-related searching. EXPOSURE LIMITS IN AIR: ACGIH – American Conference of Governmental Industrial Hygienists, a professional association which establishes exposure limits. TLV – Threshold Limit Value – an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit (STEL), and the instantaneous Ceiling Limit. Skin adsorption effects must also be considered.

OSHA – U. S. Occupational Safety and Health Administration. PEL – Permissible Exposure Limit – this exposure value means exactly the same as a TLV, except that it is enforceable by OSHA. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). FLAMMABILITY LIMITS IN AIR: Much of the information related to fire and explosion is derived from the National Fire Protection Association (NFPA). LEL – the lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. UEL – the highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.

## DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

The foregoing data has been compiled from sources that the company, in good faith, believes to be dependable and is accurate and reliable to the best of our knowledge and belief. However, the company cannot make any warranty or representation respecting the accuracy or completeness of the data, and assumes no responsibility for any liability or damages relating thereto or for advising you regarding the protection of your employees or others. Users should make their own tests to determine the applicability of such information or the suitability of any products for specific use.